

**S
U
X
E
N**



PROJOINT

THINK PAVING, THINK PROJOINT



PRODUCT BROCHURE APRIL 2024

PROJOINT

PROJOINT FUSION

ALL WEATHER BRUSH-IN GROUT

PROJOINT FUSION PROVIDES A FAST AND SIMPLE BRUSH-IN SOLUTION FOR FILLING JOINTS BETWEEN PAVING SLABS AND SETTS, AND IS SUITABLE FOR NATURAL STONE AND CONCRETE PAVING. PROJOINT FUSION IS SIMPLE TO USE, VERSATILE AND HIGHLY DURABLE, CONSISTENTLY DELIVERING PERFECT JOINTS EVERY TIME WHATEVER THE WEATHER. PROJOINT FUSION IS AVAILABLE IN FOUR COLOURS: NEUTRAL (BUFF), MID-GREY, BASALT AND BLACK.

key facts:



- ✓ ALL-WEATHER HIGH STRENGTH JOINTING IN 4 COLOURS
- ✓ PRE-MIXED, BRUSH-IN, EASY APPLICATION
- ✓ SUITABLE FOR USE IN WET WEATHER
- ✓ HIGH STRENGTH AND SUITABLE FOR JOINT WIDTHS 3MM UPWARDS
- ✓ SUITABLE FOR PEDESTRIAN TRAFFIC: IDEAL FOR PATHS AND PATIOS
- ✓ FOR USE WITH NATURAL STONE AND CONCRETE PAVING



NEUTRAL BUFF



MID-GREY




BASALT



BLACK

'formulated for natural stone & concrete paving...!'



NEUTRAL BUFF LIGHT-GREY MID-GREY BASALT BLACK

'precisely formulated
for use with porcelain
paving ...'

PROJOINT RAPIDFLOW BRUSH-IN PORCELAIN GROUT

PROJOINT RAPIDFLOW PROVIDES A FAST AND SIMPLE BRUSH-IN SOLUTION FOR FILLING JOINTS BETWEEN PORCELAIN PAVING AND **CAN ALSO BE USED ON NATURAL STONE PAVING**. RAPIDFLOW IS SIMPLE TO USE, COMES IN 5 VERSATILE COLOURS AND IS HIGHLY DURABLE. IT CONSISTENTLY DELIVERS PERFECT JOINTS EVERY TIME WHATEVER THE WEATHER. PROJOINT RAPIDFLOW IS AVAILABLE IN NEUTRAL (BUFF), LIGHT-GREY, MID-GREY, BASALT AND BLACK.

key facts:



- ✓ HIGH STRENGTH PORCELAIN JOINTING IN 5 COLOURS
- ✓ PRE-MIXED, BRUSH-IN, EASY APPLICATION
- ✓ PRECISELY FORMULATED FOR PORCELAIN PAVING
- ✓ HIGH STRENGTH, SUITABLE FOR JOINT WIDTHS 3MM UPWARDS
- ✓ IDEAL FOR PATHS AND PATIOS
- ✓ CEMENT FREE AND NON-HAZARDOUS

PROJOINT PORCELAIN FLEXIBLE PAVING GROUT



PROJOINT PORCELAIN PAVING GROUT HAS BEEN FORMULATED FOR GROUTING PORCELAIN PAVING AND IS SUITABLE FOR JOINT WIDTHS OF 2 TO 20MM. IDEAL FOR BOTH INTERNAL AND EXTERNAL USE IT BOASTS NEXUS ANTI-MOULD TECHNOLOGY WITH ADDED SILICONE TO REPEL WATER FROM THE SURFACE OF THE GROUT WHILST ALLOWING VAPOUR TO PASS THROUGH IT. PRODUCT IS SUPPLIED IN TWO 10KG BAGS INSIDE THE TUB WHICH CAN BE USED FOR MIXING.

key facts:



- ✓ HIGH STRENGTH GROUTING FOR INTERIOR & EXTERIOR USE
- ✓ DEVELOPED FOR JOINT WIDTHS OF 2MM TO 20 MM
- ✓ LIMITS MOULD GROWTH & REPELS WATER
- ✓ ALLOWS VAPOUR TO PASS THROUGH THE SURFACE OF THE GROUT
- ✓ READY TO MIX & EASY TO USE APPLICATION
- ✓ TWO X 10KG BAGS CONTAINED WITHIN THE LIDDED MIXING TUB




NEUTRAL BUFF



MID-GREY



BASALT



BLACK

'cement-based, high strength grout for both interior & exterior pointing...'



PROJOINTTM PORCELAIN ULTIMATE PAVING PRIMER

PROJOINT PORCELAIN PRIMER IS A HIGH POLYMER AND FIBRE MODIFIED FLEXIBLE PRIMER WITH EXCELLENT WORKABILITY AND ADHESION PROPERTIES. A SINGLE COAT APPLICATION PROMOTES ADHESION AND CONTROL SUCTION ON DIFFICULT SUBSTRATES SUCH AS PORCELAIN, CONCRETE, CERAMIC TILES AND PAVING SLABS OR SETTS, AND ALLOWS PORCELAIN PAVING TO BE LAID ON SAND AND CEMENT BEDDING. SUPPLIED IN X2 10KG BAGS.

 **a primer that's unique!**

'enables paving to be laid 2 weeks after primer application..'

key facts:



- ✓ ALL FLAGS CAN BE **PRE-PRIMED UP TO 2 WEEKS BEFORE LAYING**
- ✓ ENABLES PORCELAIN PAVING TO BE LAID ON SAND AND CEMENT BEDDING
- ✓ ONE COAT APPLICATION TO THE UNDERSIDE OF PAVING
- ✓ EXCELLENT WORKABILITY AND ADHESION PROPERTIES
- ✓ HIGH PERFORMANCE PRIMING SLURRY WITH HIGH COVERAGE
- ✓ SUITABLE FOR BOTH PORCELAIN AND NATURAL STONE PAVING

PROJOINT TITAN ULTIMATE EPOXY JOINTING

PROJOINT TITAN OFFERS A QUICK AND EASY SOLUTION FOR FILLING JOINTS BETWEEN PAVING SLABS AND SETTS IN AREAS OF VEHICULAR ACCESS WITH LOADS OF UP TO 3.5 TONNES. THIS HIGH STRENGTH TWO-PART EPOXY PAVING GROUT IS SIMPLE TO USE AND SUITABLE FOR NATURAL STONE AND CONCRETE PAVING. GREAT RESULTS GUARANTEED EVERY TIME.

key facts:




- ✓ UP TO 10 TONNES OF VEHICULAR AND PEDESTRIAN LOAD BEARING
- ✓ PART MIXED FOR FAST AND SIMPLE APPLICATION
- ✓ HIGH STRENGTH & SELF-COMPACTING
- ✓ WEED, FROST AND PRESSURE WASHER RESISTANT
- ✓ IDEAL FOR PATHS, PATIOS AND DRIVEWAYS UP TO 10 TONNES
- ✓ PERFECT FOR NATURAL STONE, CONCRETE PAVING AND SETTS



NEUTRAL BUFF



MID-GREY



BASALT

'for paths, patios & driveways for loads of up to **10 tonnes...**'



NEUTRAL BUFF



MID-GREY



BLACK

'withstands pedestrian and vehicle loads of up to **7.5 tonnes...**'

PROJOINT™ V75-WT

ULTRA STRENGTH EPOXY PAVING GROUT

PROJOINT V75-WT IS A SPECIALIST EPOXY SOLUTION FOR FILLING JOINTS BETWEEN NATURAL STONE AND CONCRETE PAVING. IDEAL FOR PEDESTRIAN AND VEHICLE AREAS WITH LOADS OF UP TO 7.5 TONNES. THIS TWO PART EPOXY RESIN SYSTEM IS EASY TO MIX AND THE SLURRY APPLICATION IS SIMPLE TO USE. PROJOINT V75-WT IS PERFECT FOR MEDIUM TRAFFIC DOMESTIC AND COMMERCIAL PROJECTS WITH MEDIUM LOAD REQUIREMENTS.

key facts: PROJOINT

- ✓ TWO PART EPOXY RESIN MORTAR SYSTEM, CEMENT FREE
- ✓ PERMEABLE BEDDING MIX NOT REQUIRED
- ✓ SELF COMPACTING, FAST AND SIMPLE APPLICATION
- ✓ HIGH STRENGTH, SUITABLE FOR JOINT WIDTHS OF 5MM UPWARDS
- ✓ WEED, FROST AND PRESSURE WASHER RESISTANT
- ✓ PERFECT FOR NATURAL STONE, CONCRETE PAVING AND SETTS

PROJOINT V400-WT

MAX STRENGTH EPOXY PAVING GROUT



PROJOINT V400-WT IS A SPECIALIST EPOXY SOLUTION FOR FILLING JOINTS BETWEEN NATURAL STONE AND CONCRETE PAVING. THIS PRODUCT IS SUITABLE FOR PEDESTRIAN AND VEHICLE AREAS WITH LOADS OF UP TO 40 TONNES. THIS TWO PART EPOXY RESIN SYSTEM IS EASY TO MIX AND THE SLURRY APPLICATION IS SIMPLE TO USE. PROJOINT V400-WT IS PERFECT FOR MEDIUM TRAFFIC DOMESTIC AND COMMERCIAL PROJECTS WITH HIGH LOAD REQUIREMENTS.



key facts: PROJOINT

- ✓ TWO PART EPOXY RESIN MORTAR SYSTEM, CEMENT FREE
- ✓ PERMEABLE BEDDING MIX NOT REQUIRED
- ✓ SELF COMPACTING, FAST AND SIMPLE APPLICATION
- ✓ ULTRA STRENGTH, SUITABLE FOR JOINT WIDTHS OF 5MM +
- ✓ WEED, FROST, AND PRESSURE WASHER RESISTANT
- ✓ SUITABLE FOR NATURAL STONE AND CONCRETE PAVING



NEUTRAL BUFF



MID-GREY



BLACK

'withstands pedestrian and vehicle loads of up to 40 tonnes...'



NEUTRAL BUFF



MID-GREY



BLACK

'100% UV stable & ideal for sensitive stone paving...'

PROJOINT V35-UV

100% UV STABLE PU RESIN PAVING GROUT

PROJOINT V35-UV HAS BEEN SPECIFICALLY FORMULATED FOR SENSITIVE AND EXPENSIVE NATURAL STONE AND CONCRETE. V35-UV IS IDEAL FOR PEDESTRIAN AND VEHICLE AREAS UP TO 3.5 TONNES. THE SINGLE COMPONENT PU RESIN MIXING KIT IS SIMPLE TO USE AND THE LONG PROCESSING TIMES IS IDEAL FOR SENSITIVE PAVING OR HOT WEATHER APPLICATION. PROJOINT V35-UV IS 100% UV STABLE, WEED FREE, FROST AND PRESSURE WASHER RESISTANT.

key facts: PROJOINT

- ✓ ONE PART PU RESIN BASED CEMENT FREE MORTAR SYSTEM
- ✓ LIGHT TO MEDIUM TRAFFIC LOADS UP TO **3.5 TONNES**
- ✓ FAST AND SIMPLE APPLICATION WITH MIXING KIT INSIDE
- ✓ IDEAL FOR SENSITIVE PAVING AND HOT WEATHER USAGE
- ✓ SUITABLE FOR JOINT WIDTHS OF 5MM AND ABOVE
- ✓ GREAT RESULTS, NO MESS AND NO NEED FOR CLEANING


PROJOINT POLYSWEEP

THE GAME CHANGER FOR JOINTING BLOCK PAVING.

PROJOINT POLYSWEEP IS AN INNOVATIVE HIGH STRENGTH POLYMERIC SETTING SAND, PRECISELY FORMULATED FOR JOINTING BLOCK PAVING. PROJOINT POLYSWEEP IS AVAILABLE IN TWO VERSATILE COLOURS, NEUTRAL BUFF AND SILVER GREY. IT IS FAST AND EASY TO APPLY PROVIDING EXCEPTIONAL COVERAGE AND ELIMINATING THE HASSLE ASSOCIATED WITH THE ONGOING MAINTENANCE REQUIRED BY BLOCK PAVING PROJECTS.

key facts: PROJOINT

- ✓ SUPERIOR STRENGTH SETTING SAND FOR LONG LASTING JOINTS
- ✓ BLOCK PAVING, PORCELAIN, NATURAL STONE & CONCRETE PAVING SLABS & SETTS
- ✓ PREMIXED, BRUSH-IN FORMULA FOR FAST & EASY APPLICATION
- ✓ PRESSURE WASHER, WEED & FROST RESISTANT
- ✓ IDEAL FOR JOINT WIDTHS FROM 1MM UPWARDS
- ✓ CONTAINS ABSOLUTELY NO PORTLAND CEMENT



NEUTRAL SILVER GREY

'the ultimate game changer for jointing block paving!'

PROJOINT ECO820

WATER BASED INVISIBLE PAVING SEALER

PROJOINT ECO820 IS A WATER BASED INVISIBLE SEALER FORMULATED FOR ALL TYPES OF PORCELAIN, NATURAL STONE OR CONCRETE PAVING WHETHER INDOORS OR OUTDOORS. IT CAN BE APPLIED PRIOR TO GROUTING TO MINIMISE GROUT HAZE OR RESIN SHEEN. ALTERNATIVELY PAVING CAN BE TREATED ONCE GROUT/JOINTING HAS BEEN APPLIED AND FULLY CURED. ECO820 PROVIDES PROTECTION FROM DIRT, STAINING AND WEATHERING.

key facts: PROJOINT

- ✓ HIGH STRENGTH INVISIBLE SEALER THAT IS FAST AND EASY TO USE
- ✓ IMPREGNATES THE PAVING SURFACE FOR LONG LASTING PROTECTION
- ✓ WATER BASED AND CAN BE USED ALL YEAR ROUND
- ✓ HIGH COVERAGE RATE FOR STONE AND PORCELAIN PAVING
- ✓ IDEAL FOR ALL TYPES OF TEXTURED PORCELAIN TILE SURFACES
- ✓ PERFECT FOR ALL TYPES OF NATURAL STONE PAVING



'innovative invisible sealer for both porcelain & stone...'



'powerful water based sealer for porcelain & natural stone paving...'

WWW.PROJOINT.ONLINE

PROJOINTTM PRE-GROUT PROFESSIONAL PAVING SEALER

PROJOINT PRE-GROUT IS A WATER BASED PRE-GROUTING TREATMENT FOR ALL TYPES OF PORCELAIN AND NATURAL STONE PAVING. DESIGNED TO HELP WITH GROUT OR JOINTING COMPOUND RELEASE, PRE-GROUT IS APPLIED ONCE THE PAVING HAS BEEN FIRMLY LAID IN POSITION UPON A SUITABLE BEDDING AREA. PROJOINT PRE-GROUT POWERFULLY PROTECTS PAVING AND AIDS WITH THE REMOVAL OF STAINS AND DIRT FROM ORGANIC MATTER.

key facts: PROJOINT

- ✓ EASY AND FAST APPLICATION
- ✓ WATER BASED FORMULA FOR ALL YEAR ROUND APPLICATION
- ✓ HIGH COVERAGE RATE FOR STONE AND PORCELAIN PAVING
- ✓ IDEAL FOR ALL TYPES OF TEXTURED PORCELAIN TILES
- ✓ PERFECT FOR USE WITH ALL PROJOINT GROUTING PRODUCTS
- ✓ ASSISTS IN REDUCING RESIN SHEEN AND GROUT HAZE



PROJOINT PRO810

SOLVENT BASED INVISIBLE PAVING SEALER

PROJOINT PRO810 IS A SOLVENT BASED INVISIBLE SEALER FORMULATED FOR ALL TYPES OF NATURAL STONE OR CONCRETE PAVING. IT DEEPLY IMPREGNATES THE STONE AND PROTECTS SURFACES FROM WATER PENETRATION, STAINING AND THE EFFECTS OF NATURAL WEATHERING WHILST REMAINING BREATHABLE. PROJOINT PRO810 DOES NOT CHANGE THE COLOUR OR TEXTURE OF THE SURFACE AND CAN BE USED ON ALL TYPES OF NATURAL STONE.

key facts: PROJOINT

- ✓ HIGH GRADE WATER REPELLANT FOR POROUS PAVING
- ✓ BREATHABLE WITH AN INVISIBLE FINISH
- ✓ SEALS AND PROTECTS
- ✓ RESISTS DIRT, GRIME AND ALGAE
- ✓ LONG LASTING PROTECTION AND DEEPLY IMPREGNATING
- ✓ HIGH COVERAGE RATE FOR ALL STONE AND CONCRETE PAVING



'long lasting
invisible sealer for
natural stone &
concrete paving...'



'enhances the stone's colour, protects from dirt & repels water...'

PROJOINT PRO410

SOLVENT BASED COLOUR ENHANCING STONE SEALER

PROJOINT PRO410 IS A HIGH QUALITY COLOUR ENHANCING SOLVENT BASED 'MATT FINISH' SEALER FOR USE WITH ALL TYPES OF NATURAL STONE AND CONCRETE PAVING. PRO410 IMPREGNATES THE STONE AND CREATES A POWERFUL BARRIER, PROTECTING SURFACES FROM WATER PENETRATION, STAINING, AND THE EFFECTS OF NATURAL WEATHERING WHILST REMAINING BREATHABLE. PRO410 IS SUITABLE FOR ALL TYPES OF HIGH QUALITY NATURAL STONE PAVING.

key facts: PROJOINT

- ✓ POWERFUL WATER REPELLANT FOR POROUS PAVING
- ✓ BREATHABLE, ENHANCES, SEALS AND PROTECTS
- ✓ RESISTS DIRT, GRIME AND ALGAE
- ✓ LONG LASTING PROTECTION AND UV STABLE
- ✓ MATT FINISH AND EASY SINGLE COAT APPLICATION
- ✓ HIGH COVERAGE RATE FOR NATURAL STONE AND CONCRETE



PROJOINT BLACK SPOT

AND ALGAE, LICHEN & MOSS STAIN REMOVER

PROJOINT BLACK SPOT AND ALGAE REMOVER IS A READY TO USE POWERFUL CLEANING SOLUTION THAT WORKS ON A WIDE VARIETY OF OUTDOOR SURFACES TO REMOVE BLACK SPOT, LICHEN, MOSS AND STAINS FROM ALL TYPES OF PAVING. THIS INNOVATIVE CLEANER IS IDEAL FOR USE ON NATURAL STONE, CONCRETE AND PORCELAIN PAVING. THE APPLICATION PROCESS IS EASY AND STRAIGHTFORWARD AND THE RESULTS ARE VERY IMPRESSIVE.

key facts: PROJOINT

- ✓ READY TO USE
- ✓ DEEP CLEANING SOLUTION FORMULATED TO REMOVE STUBBORN STAINS
- ✓ LASTING PROTECTION FROM BLACK SPOT, ALGAE, MOSS AND LICHEN
- ✓ RESISTS DIRT, GRIME AND FUTURE DIRT AND STAIN BUILD-UP
- ✓ NO PRESSURE WASHING IS REQUIRED TO ACHIEVE GREAT RESULTS
- ✓ HIGH COVERAGE RATE FOR ALL TYPES OF PAVING AND SURFACES



'destroys black spot, algae, lichen & moss with ease...!'



'rejuvenates & restores all types of dark stone paving...'

PROJOINT BLACK LIMESTONE AND DARK STONE RESTORER

PROJOINT BLACK LIMESTONE RESTORER IS A COLOURED IMPREGNATING SEALER DESIGNED TO PERMANENTLY REJUVENATE AND RESTORE THE APPEARANCE OF ALL TYPES OF FADED DARK STONE, INCLUDING LIMESTONE, MARBLE, SLATE AND CONCRETE PAVING. ONCE PROJOINT BLACK LIMESTONE RESTORER HAS FULLY CURED, THIS HIGH GRADE WATER-BASED SEALER PROTECTS THE NEWLY TREATED SURFACE BY RESISTING DIRT, GRIME AND ALGAE.

key facts: PROJOINT

- ✓ PERMANENTLY REJUVENATES AND RESTORES DARK STONE
- ✓ SUITABLE FOR ALL TYPES OF FADED PAVING AND COPINGS
- ✓ RESISTS DIRT, GRIME AND ALGAE
- ✓ READY, EASY AND SIMPLE TO USE
- ✓ SEALS AND PROTECTS
- ✓ HIGH COVERAGE RATE WHEN USED FOR ALL DARK PAVING



PROJOINT ULTIMATE

CONCENTRATED PAVING & DRIVEWAY CLEANER

PROJOINT ULTIMATE PAVING AND DRIVEWAY CLEANER IS AN EFFECTIVE HIGH STRENGTH CLEANING CONCENTRATE, PRECISELY DESIGNED FOR REMOVING OIL, GREASE, RUBBER MARKS, MOULD, MILDEW, ALGAE AND GENERAL DIRT FROM DRIVEWAYS, BRICK WALLS, MASONRY, GARDEN ORNAMENTS AND STEPS. IT ALSO CREATES A SURFACE BARRIER PROVIDING LONG LASTING PROTECTION AGAINST FUTURE DIRT AND GRIME BUILD-UP.

key facts: PROJOINT

- ✓ HIGH STRENGTH CLEANING CONCENTRATE
- ✓ DILUTES WITH 1:10 WARM WATER FOR HIGH COVERAGE
- ✓ LASTING PROTECTION FROM DIRT AND GRIME BUILD UP
- ✓ POWERFULLY REMOVES OIL, GREASE, RUBBER MARKS AND STAINS
- ✓ SUITABLE FOR USE WITH PRESSURE WASHERS
- ✓ READY AND EASY TO USE WITH GREAT CLEANING RESULTS



**'easily removes oil,
grease, rubber marks,
mould & dirt...'**

PROJOINT PORCELAIN ULTIMATE PAVING CLEANER

PROJOINT PORCELAIN PAVING CLEANER IS AN ALKALINE BASED CLEANING CONCENTRATE SPECIFICALLY FORMULATED FOR THE CLEANING OF PORCELAIN PAVING. THE CHEMICAL FORMULATION IS SUITABLE FOR REMOVING OIL, RUBBER MARKS, GREASE, MOULD, MILDEW, ALGAE, GENERAL GRIME AND DIRT. THIS PRODUCT IS IDEAL FOR INTERNAL OR EXTERNAL USE ON PORCELAIN TILES AND PROVIDES AN INVISIBLE BARRIER FOR LONG LASTING PROTECTION.



'a powerful cleaner precisely formulated for porcelain paving...'

key facts: PROJOINT

- ✓ HIGH STRENGTH CLEANING CONCENTRATE FOR PORCELAIN
- ✓ DILUTES 1:5 WITH WARM WATER FOR HIGH COVERAGE
- ✓ CAN BE APPLIED NEAT TO REMOVE STUBBORN STAINS
- ✓ READY, EASY AND SIMPLE TO USE
- ✓ LONG LASTING PROTECTION THAT RESISTS DIRT AND GRIME
- ✓ SUITABLE FOR INTERIOR AND EXTERIOR USE



PROJOINT ELIMINATOR

EFFLORESCENCE, GROUT HAZE & CEMENT RESIDUE CLEANER

PROJOINT ELIMINATOR IS AN ECO-FRIENDLY INNOVATIVE REMOVER OF CEMENT RESIDUES, GROUT HAZE, EFFLORESCENCE AND SALTS FROM UNPOLISHED NATURAL STONE PAVING AND PORCELAIN SURFACES. ELIMINATOR IS SUITABLE FOR BOTH INTERIOR AND EXTERIOR USE AND **DOES NOT CONTAIN BRICK ACID**. THIS PRODUCT IS DIY FRIENDLY AND DOES NOT DAMAGE SURROUNDING MATERIALS. ELIMINATOR PROVIDES FAST AND IMPRESSIVE RESULTS IN MINUTES.

key facts: PROJOINT

- ✓ REMOVES EFFLORESCENCE, GROUT HAZE AND CEMENT RESIDUES
- ✓ SUITABLE FOR UNPOLISHED NATURAL STONE AND PORCELAIN SURFACES
- ✓ IDEAL FOR INTERNAL OR EXTERNAL USAGE
- ✓ SAFE FOR DIY USE, **DOES NOT CONTAIN BRICK ACID**
- ✓ REMOVES CEMENT DEPOSITS IN MINUTES
- ✓ READY AND EASY TO USE WITH GREAT CLEANING RESULTS



'quickly eliminates efflorescence, grout haze & cement residues...'



'significantly increases the strength of sand & cement mortar...'

PROJOINT CONTRACT SBR

STRENGTHENS SAND AND CEMENT MORTAR

PROJOINT CONTRACT SBR IS A WATER-BASED EMULSION OF A MODIFIED STYRENE-BUTADINE POLYMER DESIGNED TO IMPROVE THE STRENGTH AND WORKABILITY OF SAND AND CEMENT MORTAR. IT CAN ALSO BE USED FOR PRIMING NATURAL STONE OR CEMENT SLABS TO PROMOTE ADHESION PROPERTIES. PROJOINT SBR IS NON-FOAMING AND WHEN USED AS AN ADDITIVE, CONTROLS THE DENSITY OF THE MORTAR RESULTING IN A SIGNIFICANT INCREASE IN COMPRESSIVE, TENSILE AND FLEXURAL STRENGTH.

key facts: PROJOINT

- ✓ WATER BASED STRENGTH EMULSION ADDITIVE
- ✓ IMPROVES THE STRENGTH OF SAND AND CEMENT MORTAR
- ✓ IMPROVES PAVING ADHESION WHEN USED AS A PRIMER
- ✓ READY, EASY AND SIMPLE TO USE
- ✓ IMPROVES THE WORKABILITY OF SAND AND CEMENT MORTAR
- ✓ SUITABLE FOR STONE AND CEMENT PAVING SLABS

WWW.PROJOINT.ONLINE

PROJOINTTM ACCESSORIES PREPARATION IS EVERYTHING



THE PROJOINT PAVING SQUEEGEE

THIS HEAVY DUTY PROJOINT SQUEEGEE IS AVAILABLE IN 450MM AND 550MM SIZES. IT IS IDEAL FOR USE WITH ALL PROJOINT RESIN JOINTING COMPOUNDS AND IS THE PERFECT TOOL FOR EVENLY DISTRIBUTING PROJOINT BRUSH-IN GROUTING PRODUCTS INTO PAVING JOINTS FOR THAT PROFESSIONAL FINISH.

THE PROJOINT TILEVICE SYSTEM

THE PROJOINT TILEVICE SYSTEM IS THE FAST AND EASY SOLUTION FOR ENSURING A LEVEL PATIO OR ANY PAVING SURFACE. IT ENSURES THAT A SMOOTH, EVEN SURFACE IS ACHIEVED ON CALIBRATED, CERAMIC, OR PORCELAIN TILES. TILEVICE COMPRISES OF THE PILAR SPACERS AND THE SPINNER LEVELLING CAP. AFTER USE, THE SPINNER CAPS CAN BE REUSED FROM JOB TO JOB. SPINNER BAGS CONTAIN 50 PIECES AND PILLAR BAGS CONTAIN 150 PIECES.



THE PROJOINT PAVING MARKER

THE PROJOINT PAVING MARKER PROVIDES A VISIBLE 2MM LINE ON ALMOST ANY SURFACE INCLUDING NATURAL STONE, CONCRETE, CLAY-BASED PAVING AS WELL AS STEEL OR TIMBER. THE MARKER WORKS ON WET AND DRY SURFACES AND IS IDEAL FOR MARKING UP PAVING SLABS OR SETTS FOR CUTTING IN.

'think paving, think projoint'



jointing with simplicity, versatility, & durability.

WWW.PROJOINT.ONLINE

PROJOINT™ UK STOCKIST LOCATOR

WWW.NEXUSPAVINGSYSTEMS.CO.UK/STOCKISTS

WWW.PROJOINT.ONLINE

PROJOINT™ PRODUCT CALCULATOR

WWW.NEXUSPAVINGSYSTEMS.CO.UK/CALCULATOR

WHERE CAN I BUY PROJOINT?



HOW MANY TUBS DO I NEED?



WWW.PROJOINT.ONLINE



DISCOVER MORE: CALL: 01937 858000 | SALES@NEXUSPROSYSTEMS.CO.UK | WWW.NEXUSPAVINGSYSTEMS.CO.UK



PROJOINT


PRO-PAVERS USE PROJOINT



STOCKIST LOCATOR



PRODUCT CALCULATOR

 01937 858000

WWW.PROJOINT.ONLINE

E